UNITED STATES DEPARTMENT OF AGRICULTURE.

FEDERAL HORTICULTURAL BOARD.

WASHINGTON, D. C.

LETTER OF INFORMATION No. 23.

DECEMBER 8, 1916.

Dear Sir: Since the issuance of Letter of Information No. 22 no interception of insects or diseases of sufficient importance to require special mention has been reported. It will be noted, however, that a number of pests not heretofore reported are included in the accompanying list, and this fact emphasizes the necessity of careful work on the part of inspectors to prevent the introduction of new and injurious insects and plant diseases.

Your special attention is called to the paper entitled "Laspeyresia molesta, an Important New Insect Enemy of the Peach," by A. L. Quaintance and W. B. Wood, of the Bureau of Entomology, published in the Journal of Agricultural Research, Vol. VII, No. 8, page 373, November 20, 1916. All inspectors are requested to be on the lookout for this pest, and it is urged that doubtful specimens be referred to this office for examination.

Yours very truly,

C. L. MARLATT,

Chairman of Board.

73663--17----1

LIST, BY COUNTRIES, OF PESTS COLLECTED.

[The number in parentheses following name of host indicates the number of times reported.]

Country of origin and name of pest.	Host.
ANTIGUA, BRITISH WEST INDIES.	
Insects: Pseudococcus sp. (mealy bug). Targionia sacchari (scale insect).	Sugar cane (1). Do.
ARGENTINA.	
Insect: Ipidae, new genus and species of	Caesalpinia melanocarpa (1).
AUSTRALIA.	
Insects:	
Aspidiotus camelliae (greedy scale)	Livistona australis (1). Atriplex seed (1).
AZORES ISLANDS.	
Insect:	d
Fiorinia theae (tea scale)	Camellia (1).
Cladosporium citri	Citrus (lemon fruits and twigs) (1).
BELGIUM.	•
Insects:	Post (1)
Aspidiotus britannicus (scale insect). Aspidiotus hederae (ivy scale)	Bay (1). Bay (3), palm (24).
Chrysomphalus dictyospermi (scale insect)	Palm (9).
Chrysomphalus ficus (Florida red scale)	Palm (5).
Coccus hesperidum (soft brown scale)	Aralia (1), bay (13), palm (4).
Diaspis boisduvalii (scale insect).	Palm (1).
Hemichionaspis aspidistrae (aspidistra scale)	Aspidistra (8).
Pseudococcus sp. (mealy bug)	Bay (2), Croton (1), palm (6).
Saissetia hemisphaerica (hemispherical scale)	Palm (1). Aralia (1).
Disease:	Alana (1).
Colletotrichum omnivorum	Aspidistra (1).
BERMUDA.	
Insects:	4 11 4 (7) 70 1 (7)
Aspidiotus hederae (ivy scale)	Aspidistra (1), Pandanus (1).
Uropoda (Parasitid mite)	Lify bulbs (1). Do.
D:	
Colletotrichum omnivorum	Aspidistra (2).
Septoria oleandrina	Nerium oleander (1).
BRAZIL. Insects:	•
	Ipomoea seed (1).
Bruchus sp. (weevil)	Orchid (1).
Tenthecoris bicolor (Capsidae)	Do.
Diseases:	_
Diplodia. Gloeosporium.	Do. Do.
BRITISH GUIANA.	
Insect:	
Asterolecanium pustulans (scale insect)	Crimson Bougainvillea (1).
CANADA. Insect:	
Chionaspis pinifoliae (pine scale)	Baga Hookeriana (1)
(9)	1 maga montana (m).

Country of origin and name of pest.	Host.
CHILE.	
Insects:	"Gamilla Ja Walla 2 (1)
Aleurothrixus sp. (Aleyrodidae) (white fly)	"Semilla de Molle" (1).
Bruchus sp. (weevil)	Do. ? (1).
Epithecus sp. (Gelechidae)	• (1)•
CHINA.	•
naecta:	
Bruchus chinensis (weevil)	Vicia faba (1).
Diaspis pentagona (West Indian peach scale)	Amygdalus (2), peach (1).
Tyroglyphus sp. (mite)	Litchi chinensis (1).
Diseases:	
Botrytis sp	Eleocharis tuberosa (water chestnut) (1)
Fusarium sp.	Pistacia chinensis (1).
Pestalozzia sp	Prunus persica (peach) (1). Maple (1).
Phoma samararum	maple (1).
COLOMBIA.	
nsects:	0-1:1(1)
Blaberus sp. (roach)	Orchid (1). Do.
Chrysomphalus biformis (scale insect)	Do.
Chrysomphalus perseae (scale insect)	Orchid (3).
Leaf miners	Fiber plant (1).
Prenolepis longicornis (ant)	Orchid (1).
Rhizoglyphus sp. (mite)	Guayabono del Monte (1).
Silvanus advena (Cucujidae)	Mango chupa (large red) (1).
Tenthecoris bicolor (Capsidae)	Orchid (8).
Diseases:	
Colletotrichum gloeosporioides	Orchid (1).
Colletotrichum lindemuthianum	
Diplodia sp	Mamona (1).
Fusarium sp	Cotton seed (1).
Lasiodiplodia sp	Seepe (1).
CUBA.	
Insects: Phycid	Cotton good (1)
Phycid	Cotton seed (1). Sugar cane (1).
Diseases:	Bugar Cane (1).
Fusarium sp	Sansevieria (1).
Turantum op	
Gloeosporium sp	
Gloeosporium sp. Pestalozzia sp.	Erythroxylon coca (1).
Gloeosporium sp. Pestalozzia sp.	Erythroxylon coca (1).
Pestalozzia sp England.	Erythroxylon coca (1).
Pestalozzia sp ENGLAND. Insects:	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1).
Pestalozzia sp ENGLAND. Insects: Aphids	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3).
Pestalozzia sp ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale)	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1).
Pestalozzia sp ENGLAND. Insects: Aphids	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4).
Pestalozzia sp ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale) Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect)	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5).
Pestalozzia sp. ENGLAND. Insects: Aphids. Aspidiotus hederae (ivy scale). Cerataphis lataniae (palm aphis). Chermes abietis (aphid) Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect)	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2)
Pestalozzia sp. ENGLAND. Insects: Aphids. Aspidiotus hederae (ivy scale). Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale).	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1).
Pestalozzia sp. ENGLAND. Insects: Aphids. Aspidiotus hederae (ivy scale). Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs).	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1).
Pestalozzia sp. ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale). Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid).	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1).
Pestalozzia sp. ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale) Cerataphis lataniae (palm aphis) Chermes abietis (aphid) Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid). Pemphiginid, immature.	Erythroxylon coca (1). Erythroxylon coca (1). Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1).
Pestalozzia sp. ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale) Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid). Pemphiginid, immature. Pseudococcus sp. (mealy bug).	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1). Fuchsia (1), Heliotrope (1).
Pestalozzia sp. ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale) Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid). Pemphiginid, immature. Pseudococcus sp. (mealy bug). Pulvinaria sp. (scale insect).	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1). Fuchsia (1), Heliotrope (1). Orchid (2).
Pestalozzia sp. ENGLAND. Insects: Aphids. Aspidiotus hederae (ivy scale) Cerataphis lataniae (palm aphis) Chermes abietis (aphid). Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid) Pemphiginid, immature. Pseudococcus sp. (mealy bug). Pulvinaria sp. (scale insect). Tingitid eggs (lacewing).	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1). Fuchsia (1), Heliotrope (1). Orchid (2).
Pestalozzia sp. ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale) Cerataphis lataniae (palm aphis) Chermes abietis (aphid). Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs) Macrosiphum sp. (aphid) Pemphiginid, immature. Pseudococcus sp. (mealy bug). Pulvinaria sp. (scale insect). Tingitid eggs (lacewing).	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1). Fuchsia (1), Heliotrope (1). Orchid (2). Rhododendron (1).
Pestalozzia sp. ENGLAND. Insects: Aphids. Aspidiotus hederae (ivy scale). Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid). Pemphiginid, immature. Pseudococcus sp. (mealy bug). Pulvinaria sp. (scale insect). Tingitid eggs (lacewing). Disease: Sclerotinia.	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1). Fuchsia (1), Heliotrope (1). Orchid (2). Rhododendron (1).
Pestalozzia sp. ENGLAND. Insects: Aphids. Aspidiotus hederae (ivy scale). Cerataphis lataniae (palm aphis). Chermes abietis (aphid). Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid). Pemphiginid, immature. Pseudococcus sp. (mealy bug). Pulvinaria sp. (scale insect). Tingitid eggs (lacewing). Disease: Sclerotinia.	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1). Fuchsia (1), Heliotrope (1). Orchid (2). Rhododendron (1).
Pestalozzia sp. ENGLAND. Insects: Aphids Aspidiotus hederae (ivy scale) Cerataphis lataniae (palm aphis) Chermes abietis (aphid) Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (scale insect). Lepidosaphes ulmi (oyster-shell scale). Leptobyrsa explanata (Tingitidae) (eggs). Macrosiphum sp. (aphid). Pemphiginid, immature. Pseudococcus sp. (mealy bug). Pulvinaria sp. (scale insect). Tingitid eggs (lacewing). Disease: Sclerotinia.	Erythroxylon coca (1). Erythroxylon coca (1), Sansevieria (1). Orchid (3). Orchid (1). Orchid (4). Spruce (1). Orchid (5). Orchid (2). Poplar (1). Rhododendron (1). Chrysanthemum (1). Alpine plants (1). Fuchsia (1), Heliotrope (1). Orchid (2). Rhododendron (1). Golden privet (1).

	Host.
FRANCE.	
Insects:	
Aphid	Berberis vulgaris (1).
Apion ulicis	Ulex europaeus (1).
Aspidiotus hederae (ivy scale)	Cameilia (1).
Euproctis chrysorrhoea (brown-tail moth) (nests with dead cater-	
pillars)	Apple seedling (1).
Euproctis chrysorrhoea (brown-tail moth) (piece of nest with 5 live	
caterpillars)	? (1).
Notolophus antiqua (European tussock moth) (eggs)	Maple (1), sycamore (1).
Papilio podolarius (lepidopterous) (2 chrysalids)	? (1).
Porthetria dispar (gipsy moth) (broken egg mass)	Beech seedling (1).
Trichiosoma tibialis (sawfly) (3 cocoons)	? (1).
Diseases:	
Bacterium tumefaciens (crown gall).	Myrobolan plum seedlings (1), syringa (1)
Botrytis sp	Cotoneaster nan-shan (1). Deutzia long
	flora (1), Viburnum carlesii (1), Vibur
	num davidii (1).
Clithris quercina	? (1).
Heterodera radicicola (nematode)	Clematis Wilsonii (1).
Valsa sp. (conidial stage)	English oak (1).
valsa sp. (contotal stage)	English oak (1).
CITA MINISTANA	
GUATEMALA.	
Insects:	01.1 (1)
Chrysomphalus biformis (scale insect)	Orchid (1).
Chrysomphalus perseae (scale insect)	Do.
Pseudococcus sp. (mealy bug)	Do.
	•
HAWAII.	•
Insect:	
Pseudococcus sacchari (mealy bug)	Sugar cane (1).
HOLLAND.	• •
Aphids	Hydrangea (1), Juniperus virginiana (1)
11. philas	maple (3).
Chionaspis furfura (scurfy scale)	Crataegus (1).
	Claudegus (1).
	Roy (2)
Coccus hesperidum (soft brown scale)	Bay (2).
Cynipid gall	Oak (1).
Cynipid gall Eriophyes buxi (mite)	Oak (1). Boxwood (1).
Cynipid gall. Eriophyes buxi (mite) Hemichionaspis aspidistrae (aspidistra scale).	Oak (1). Boxwood (1). Aspidistra (2).
Cynipid gall. Eriophyes buxi (mite) Hemichionaspis aspidistrae (aspidistra scale).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale) Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases:	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1). Fir (1). Laurus (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1). Fir (1), Laurus (1). Tilia europaea (European linden) (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1). Fir (1), Laurus (1). Tilia europaea (European linden) (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia sp.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1) Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do.
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia sp.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1) Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do.
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1) Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do.
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1) Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do.
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale) Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1). Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale) Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1). Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale) Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS. Insect: Solenopsis parva (ant).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1); Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1). Attalea cohune, seeds of (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS. Insect: Solenopsis parva (ant).	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1). Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS. Insect: Solenopsis parva (ant). Disease: Diplodia sp.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1); Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1). Attalea cohune, seeds of (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale) Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS. Insect: Solenopsis parva (ant). Disease: Diplodia sp.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1); Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1). Attalea cohune, seeds of (1).
Cynipid gall Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS. Insect: Solenopsis parva (ant). Disease: Diplodia sp. INDIA.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1); Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1). Attalea cohune, seeds of (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS. Insect: Solenopsis parva (ant). Disease: Diplodia sp. INDIA.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1): Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1). Attalea cohune, seeds of (1). Palm seed (1).
Cynipid gall. Eriophyes buxi (mite). Hemichionaspis aspidistrae (aspidistra scale). Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Mite eggs. Notolophus antiqua (European tussock moth) (eggs). Psylla buxi (box psylla). Strophosomus coryli (weevil). Tingitid eggs (lacewing). Diseases: Bacterium tumefaciens (crown gall). Botrytis sp. Fusarium sp. Pestalozzia guepini. Pestalozzia sp. Tubercularia sp. HONDURAS. Insect: Solenopsis parva (ant). Disease: Diplodia sp. INDIA.	Oak (1). Boxwood (1). Aspidistra (2). Boxwood (1). Boxwood (10), Crataegus (3), Sorbus (1). Junipers (1). Rose (1). Boxwood (7). Oak (1). Rhododendron (1). Crataegus (1), flowering cherry (1), rose (1) Fir (1), Laurus (1). Tilia europaea (European linden) (1). Rhododendron (4). Do. Acer palmatum (Japanese maple) (1). Attalea cohune, seeds of (1). Palm seed (1). Mango (1).

Country of origin and name of pest.	Host.	
ITALY.		
Insect: Lepidosaphes beckii (purple scale)	. Citrus cuttings (1).	
Insect: Chionaspis sp. (scale insect)	Chayotes (1).	
JAPAN.		
nsects: Aspidiotus perniciosus (San Jose scale) Diaspis pentagona (West Indian peach scale)	1 Kidu Shidare (1), Mikuruma Gaeshi (1),	
Gracilarid stem miner Lepidosaphes beckii (purple scale) Locustiid, eggs of	Do.	
Pseudaonidia paeoniae (scale insect)	Persimmon (1), persimmon (?) (1).	
Claviceps sp. Fusarium sp. Macrosporium. Sclerotinia sp.	Radish (2). Radish (1).	
Insect:		
Chrysomphalus perseae (scale insect)	. Orchid (1).	
newfoundland. Insect: Tipulidae	. Iris setosa (1).	
NEW ZEALAND.		
Insects: Aspidiotus hederae (ivy scale)	Pittosporum sp. (1).	
NORTHERN NIGERIA.		
Insect: Bruchus quadrimaculatus (weevil)	Small bean (1).	
Insect:		
Eriococcus coccineus (coccid)		
Fusarium oxysporum	Potato (1).	
Insects: PHILIPPINE ISLANDS. Acythopeus aterrimus. Periplaneta americana (American roach).		
Disease: Gloeosporium sp	Prosopis juliflora ("Aroma") (1).	
Insects:		
Bruchus sp. (weevil)	ous (1)	
Rhizopertha dominica (lesser grain borer)	Wheat (1), winter rye (1). Rye (1).	
Phoma samararum	Fraxinus oxyphylla (ash) (1).	
Insects:		
Aspidiotus hederae (ivy scale) Chrysomphalus dictyospermi (scale insect) Chrysomphalus ficus (Florida red scale) Coccus hesperidum (soft brown scale)	Do.	
Tacco 17 0	Solanum jasminolues (1).	

73663—17—

Country of origin and name of pest.	Host.
SEYCHELLES.	
Disease: Phoma insidiosa	Andropogon sp. (wild Sorghum seed) (2).
SOUTH AMERICA. Insect:	
Diaspis echinocacti cacti (scale insect)	Echinopsis (1).
SPAIN. Insect:	
Laria rufimana (weevil)	l '
Alternaria sp.	Wheat (2).
STRAITS SETTLEMENT. Insects: Monieziella sp. nov. (mite). Tetramorium (Tetrogmus) simillimum (ant). Tyroglyphus sp. nov. (mite).	Mauritius pineapple (1), pineapple plant (1).
SUDAN, ANGLO-EGYPTIAN. Insect: Aphis maidis	
Insect: Silvanus surinamensis (saw-toothed grain beetle)	Applicational (1)
VENEZUELA. Insects:	Apricot seed (1).
Chrysomphalus perseae (scale insect). Diaspis boisduvalii (scale insect). Grasshopper nymphs. Periplaneta australasiae (Australian roach). Prenolepis longicornis (ant). Pseudoscorpions. Springtails. Tenthecoris bicolor (Capsidae). Disease: Uredo sp.	Do. Do. Do. Do. Do. Do. Do. Do.

LIST, BY STATES, OF PESTS COLLECTED.

[The number in parentheses following name of country indicates the number of times reported.]

State in which collected and name of pest.	$\operatorname{Host}.$	Country of origin.
CALIFORNIA.		
Insects:		
Aphids.	Orchid	England (3).
Cerataphis lataniae (palm aphis)	do	England (4).
Chionaspis pinifoliae (pine scale)	Baga Hookeriana	Canada (1).
Diaspis boisduvalii (scale insect)	Orchid	Brazil (1), England (4), Ven
•		zuela (1).
Eucalymnatus tessellatus (scale insect)	do	England (2).
Pulvinaria sp. (scale insect)	do	$\overline{\mathrm{Do}}$.
Diseases:		
Bacterium tumefaciens (crown gall)	Myrobolan plum seedlings	France (1).
Cladosporium citri	Citrus (lemon fruits and twigs).	Azores Islands (1).
	,	
CONNECTICUT.		
Insects:	Oale	Holland (1)
Cynipid gall	Oak Boxwood	Holland (1),
Lepidosaphes ulmi (oyster-shell scale)	Boxwood	Do.
	ao	Do.
Disease: Sclerotinia	Golden privet	England (1).
Belefolina	Golden privet	England (1).
DISTRICT OF COLUMBIA.		
Insects:		
Aleurothrixus sp. (Aleyrodidae) (white fly)	"Semilla de Molle"	Chile (1).
Aphis maidis	Barley	Anglo-Egyptian Sudan (1).
Apion ulicis	Ulex europaeus	France (1).
Aspidiotus camelliae (greedy scale)	Livistona australis	Australia (1).
Aspidiotus hederae (ivy scale)	Vitex littoralis	New Zealand (1).
Aspidiotus perniciosus (San Jose scale)	Chinese sand pear	Japan (1).
Asterolecanium pustulans (scale insect)	Crimson Bougainvillea	British Guiana (1).
Bruchus chinensis (weevil)	Vicia faba	China (1).
Bruchus obtectus (bean weevil)	Virgilia aurea	Eritrea, Africa (1).
Bruchus quadrimaculatus (weevil)	Small bean	Northern Nigeria (1).
Bruchus sp. (weevil)	Alhagi camelorum	Russia (1).
Do	Astragalus paucijugus	Do.
<u>D</u> o	Ipomoea seed	Brazil (1).
Do	"Semilla de Molle"	Chile (1).
Calandra oryza (rice weevil)	Bambusa abyssinica	Eritrea, Africa (1).
Chionaspis sp. (scale insect)	Chayotes	Jamaica (1).
Coccus hesperidum (soft brown scale)	Solanum jasminoides	Scotland (1).
Diaspis boisduvalii (scale insect)	Orchid	England (1).
Diaspis echinocacti cacti (scale insect)	Echinopsis	South America (1).
Diaspis pentagona (West Indian peach scale) Do	Amygdalus	China (2).
ν	Kidu Shidare	Japan (1).
Do	Mikuruma Gaeshi	Do.
Do	Peach	China (1).
Do Epithectis sp. (Gelechiidae)	Persimmon cuttings?	Japan (1). Chile (1).
Epitnectis sp. (Gelechildae) Eriococcus coccineus (coccid)	Echinocactus	Onlie (1). Peru (1):
	Citrus cuttings	Japan (1).
Gracilarid stem miner	Pittosporum sp	New Zealand (1) .
Ipidae, new genus and species of	Caesalpinia melanocarpa	Argentina (1).
Laria rufimana (weevil)	Vicia faba	Spain (1).
Lepidosaphes beckii (purple scale)	Citrus cuttings	Italy (1), Japan (1).
Locustiid, eggs of	Citrus sp.	Japan (1).
Macrosiphum sp. (aphid)	Chrysanthemum	England (1).
macrosiphum sp. (apmu)		Straits Settlements (1).
Monieziella sp. nov (mite)	(farcinia mangostana	
Monieziella sp . nov. (mite)	Garcinia mangostana Fiber plant	Colombia (1).

State in which collected and name of pest.	Host.	Country of origin.	
DISTRICT OF COLUMBIA—continued.			
sects—Continued.			
Phycid	Cotton seed	Cuba (1).	
Pseudaonidia paeoniae (scale insect)	Persimmon	Japan (1).	
Do	Persimmon (?)	Do.	
Pseudococcus marchali (mealy bug)	Mango	India (1).	
Pseudococcus sacchari (mealy bug)	Sugar cane		
Pseudococcus sp. (mealy bug)	do	Antigua, British West 1	Indi
		(1).	
Rhizoglyphus sp. (mite)	Guayabono del Monte	Colombia (1).	
Rhizopertha dominica (lesser grain borer)	Wheat	Russia (1).	
Do.	Winter rye	Do.	
Saissetia hemisphaerica (hemispherical scale)	Palm	Belgium (1).	
Silvanus advena (Cucujidae)	Mango chupa (large red) Apricot seed	Colombia (1).	
Silvanus surinamensis (saw-toothed grain beetle) Sitodrepa panicea (Ptinidae)	Atriplex seed	Turkey (1). Australia (1).	
Solenopsis parva (ant)	Attalea cohune, seeds of	Honduras (1).	
Stephanorhynchus crassus (weevil).	Pittsosporum sp	New Zealand (1).	
Targionia sacchari (scale insect).	Sugar cane	Antigua, British West I	Indi
Targionia bacchair (scale insect)	Sugar Cane	(1), Cuba (1).	mai
Tetramorium (Tetrogmus) simillimum (ant)	Mauritius pineapple	Straits Settlements (1).	
Do	Pineapple plant	Do.	-
Tipulidae	Iris setosa.	Newfoundland (1).	
Tribolium confusum (confused flour beetle)	Rve	Russia (1).	
Tyroglyphus sp. (mite)	Litchi chinensis	China (1).	
Tyroglyphus sp. nov. (mite)	Garcinia mangostana	Straits Settlements (1).	
Uropoda (Parasitid mite)	Lily bulbs	Bermuda (1).	
Zercon (Parasitid mite)	do	Do.	
seases:			
Alternaria sp	Wheat	Spain (2).	
Botrytis sp	Cotoneaster nan-shan	France (1).	
<u>D</u> o		Do.	
Do	Eleocharis tuberosa (water	China (1).	
Do.	chestnut).	Thursday (3)	
Do	Viburnum carlesii	France (1).	
Claviceps sp.	Zoveje pungone	Do.	
Colletotrichum lindemuthianum	Zoysia pungens	Japan (1). Colombia (1).	
Colletotrichum omnivorum	Aspidistra	Bermuda (1).	
Diplodia sp	Mamona.	Colombia (1).	
_ Do	Palm seed	Honduras (1).	
Fusarium oxysporum.	Potato.	Peru (1).	
Fusarium sp	Cotton seed	Colombia (1).	
Do	Pistacia chinensis.	China (1).	
Do	Radish.	Japan (2).	
Do	Sansevieria.	Cuba (1).	
Gloeosporium sp	Erythroxylon coca	Do.	
Do	Prosopis juliflora ("Aroma")	Philippine Islands (1).	
Heterodera radicicola (nematode)	Clematis Wilsonii	France (1).	
Lasiodiplodia sp	Seepe	Colombia (1).	
Macrosporium	Radish	Japan (1).	
Pestalozzia sp	Erythroxylon coca	Cuba (1).	
Do	Prunus persica (peach)	China (1).	
Do	Sansevieria	Cuba (1).	
Phoma insidiosa	Andropogon sp. (wild sorghum	Seychelles (2).	
Phoma samararum	seed).	Decemie (1)	
	Fraxinus oxyphylla (ash)	Russia (1).	
DoPuccinia graminis	Maple	China (1).	
Sclerotinia sp.	Wheat	India (8). Japan (3).	
Doloroullia sp	IvaxISII	Japan (5).	
HAWAII.			
sects:			
Acythopeus aterrimus	Phalaenopsis schilleriana.	Philippine Islands (1).	
Periplaneta americana (American roach)		Do.	

List, by States, of pests collected-Continued.

State in which collected and name of pest.	Host.	Country of origin.
INDIANA.		
Insect: Lepidosaphes ulmi (oyster-shell scale)	. Boxwood	Holland (1).
Disease: Tubercularia sp	. Acer palmatum (Japanese maple).	Do.
KANSAS.		·
Insect: Lepidosaphes ulmi (oyster-shell scale)	. Boxwood	Holland (1).
KENTUCKY.		
Insects: Aphid	Japanese maple	Holland (1).
Coccus hesperidum (soft brown scale) Lepidosaphes ulmi (oyster-shell scale)	. Bay	Belgium (1).
Disease: Bacterium tumefaciens (crown gall)		
MARYLAND.		(-)
Insects:		•
Aspidiotus hederae (ivy scale) Notolophus antiqua (European tussock moth)	Palm	
(eggs).		
MASSACHUSETTS. Insects:		
Aphids	. Hydrangea	
· Do	Japanese maple	Do. Belgium (3).
Do	. Camellia	France (1).
Do		Belgium (1). Belgium (2).
Coccus hesperidum (soft brown scale)	. Bay	Do.
Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale)	Boxwooddo	Holland (1).
Strophosomus coryli (weevil)	. Oak	Do.
Bacterium tumefaciens (crown gall)		Do.
DoBotrytis sp		France (1). Holland (1).
MINNESOTA. Insects:		
Aphids		France (1).
Do Lepidosaphes ulmi (oyster-shell scale)	Juniperus virginiana	
Do		Do.
Disease: Bacterium tumefaciens (crown gall)	. Rose	Do.
MISSOURI.		
Insects: Chrysomphalus ficus (Florida red scale)	Palm	Belgium (1).
Diaspis boisduvalii (scale insect)	. do	Do.
Hemichionaspis aspidistrae (aspidistra scale)	- Aspidistra	Do.
NEW HAMPSHIRE.		
Insect: Lepidosaphes ulmi (oyster-shell scale)	. Crataegus sp	Holland (1).
NEW JERSEY.		
Insects: Aspidiotus britannicus (scale insect)	. Bay	Belgium (1).
Aspidiotus hederae (ivy scale) Do	OrchidPalm.	England (1). Belgium (14), Scotland (1).
Blaberus sp. (roach)	. Orchid	Colombia (1).

State in which collected and name of pest.	Host.	Country of origin.
NEW JERSEY—continued.		
nsects—Continued.		•
Chionaspis furfura (scurfy scale)	Crataegus	Holland (1).
Chrysomphalus biformis (scale insect)	Orchid	Colombia (1), Guatemala (1). Belgium (9), Scotland (1).
Chrysomphalus dictyospermi (scale insect)	Palm	Belgium (9), Scotland (1).
Chrysomphalus ficus (Florida red scale)	Orchid.	Belgium (2), Scotland (1). Colombia (1), Guatemala (1)
Chrysomphalus perseae (scale insect)	Orema	Mexico (1), Venezuela (1)
Coccus hesperidum (soft brown scale)	Aralia	Belgium (1).
Do	Bay	Belgium (6), Holland (2).
Grasshopper nymphs	Orchid.,	Venezuela (1).
Hemichionaspis aspidistrae (aspidistra scale)	Aspidistra	Belgium (6), Holland (2).
Lepidosaphes ulmi (oyster-shell scale) Do	Boxwood	Holland (1).
Do•	Crataegus Poplar	Do. England (1).
Periplaneta australasiae (Australian roach)	Orchid.	Venezuela (1).
Pseudococcus sp. (mealy bug)	Bay	Belgium (2).
Do	Crotons	Belgium (1).
Do	Fuchsia	England (1).
Do Do	Heliotrope Orchid	Do. Guatemala (1).
Do	Palm	Belgium (5).
Pseudoscorpions.	Orchid	Venezuela (1).
Saissetia oleae (black scale)	Aralia	Belgium (1).
Springtails	Orchid	Venezuela (1).
Tenthecoris bicolor (Capsidae)		Colombia (1), Venezuela (1).
Tingitid eggs (lacewing)	Rhododendron	England (1), Holland (1).
Botrytis sp	Fir	Holland (1).
NEW YORK CITY (FEDERAL INSPECTION).		
Insects:		
Leaf miners. Prenolepis longicornis (ant)	Orchid	Colombia (3).
Tenthecoris bicolor (Capsidae)	do	Colombia (1), Venezuela (1). Brazil (1), Colombia (7), Venezuela (1).
Tononecons bicoloi (oupsicue)		zuela (5).
Diseases:		
Colletotrichum gloeosporioides	do	Colombia (1).
DiplodiaGloeosporium	00	Brazil (1).
G10e0sportum		Tho ·
Sentoria oleandrina	Nerium oleander	Do. Bermuda (1)
Septoria oleandrina	Nerium oleander	Do. Bermuda (1). Venezuela (1).
Uredo sp	Nerium oleander	Bermuda (1).
Uredo sp NEW YORK.	Nerium oleander	Bermuda (1).
Uredo sp	Nerium oleander Orchid	Bermuda (1). Venezuela (1).
Uredo sp NEW YORK. nsects: Euproctis chrysorrhoea (brown-tail moth) (nests with dead caterpillars).	Nerium oleanderOrchidApple seedling	Bermuda (1). Venezuela (1). France (1).
Uredo sp	Nerium oleander Orchid	Bermuda (1). Venezuela (1).
Uredo sp	Nerium oleander	Bermuda (1). Venezuela (1). France (1). Do.
Uredo sp	Nerium oleanderOrchidApple seedling	Bermuda (1). Venezuela (1). France (1).
Uredo sp	Nerium oleander	Bermuda (1). Venezuela (1). France (1). Do.
Uredo sp	Nerium oleander	Bermuda (1). Venezuela (1). France (1). Do. Do. Do.
Uredo sp	Nerium oleander	Bermuda (1). Venezuela (1). France (1). Do. Do.
Uredo sp. NEW YORK. nsects: Euproctis chrysorrhoea (brown-tail moth) (nests with dead caterpillars). Euproctis chrysorrhoea (brown-tail moth) (piece of nest with 5 live caterpillars). Papilio podolarius (lepidopterous) (2 chrysalids). Porthetria dispar (gipsy moth) (broken egg mass).	Nerium oleander	Bermuda (1). Venezuela (1). France (1). Do. Do. Do.
Uredo sp	Nerium oleander	Bermuda (1). Venezuela (1). France (1). Do. Do. Do.
Uredo sp	Nerium oleander Orchid Apple seedling ? Beech seedling ? Maple	Bermuda (1). Venezuela (1). France (1). Do. Do. Do. Do. France (1).
Uredo sp	Nerium oleander	Bermuda (1). Venezuela (1). France (1). Do. Do. Do. Do.
Uredo sp	Nerium oleander Orchid Apple seedling ? Beech seedling ? Maple	Bermuda (1). Venezuela (1). France (1). Do. Do. Do. Do. France (1).
Uredo sp	Nerium oleander Orchid Apple seedling ? Beech seedling ? Maple	Bermuda (1). Venezuela (1). France (1). Do. Do. Do. Do. France (1).

State in which collected and name of pest.	Host.	Country of origin.
PENNSYLVANIA.		
Aphids	Manle	Holland (1).
Asnidiotus hederae (ivy scale)	Aspidistra	Bermuda (1).
Do	Palm	Belgium (7).
Do	Pandanus.	Bermuda (1).
Coccus hesperidum (soft brown scale)	Rosz	Belgium (3).
To	Palm	Belgium (4).
Do	Powwood	Holland (1).
Hemichionaspis aspidistrae (aspidistra scale)	Amidiates	Poloises (1)
Temideren en electrica de la contra scale)	Aspidistra	Deigium (1).
Lepidosaphes ulmi (oyster-shell scale)	D0XW00Q	Holland (2).
Leptobyrsa explanata (Tingitidae) (eggs)	Knododendron	England (1).
Mite eggs. Pseudococcus sp. (mealy bug).	Junipers	Holland (1).
Pseudococcus sp. (mealy bug)	Palm	Belgium (1).
Psylla buxi (box psylla)	Boxwood	Holland (6).
Diseases:		
Clithris quercina	?	France (1) .
Colletotrichum omnivorum		
Fusarium sp	Tilia europaea (European linden).	Holland (1).
Pestalozzia guepini	Rhododendron	Holland (4).
Pestalozzia sp	do	Do.
Valsa sp. (conidial stage)	English oak	France (1).
RHODE ISLAND.		
Insect:		•
Fiorinia theae (tea scale)	Camellia	Azores Islands (1).
SOUTH CAROLINA.		
Insects:		
Aspidiotus hederae (ivy scale) Coccus hesperidum (soft brown scale)	Palm	Belgium (1).
Coccus hesperidum (soft brown scale)	Bay	Do.